

Bay Smokes LLC Customer: 62 NE 167th St #1009

Miami, Florida 33162

Batch #: 97075

Laboratory Number: ATL-9947

Report Issue Date: 11/01/2022

Order Date: 10/24/2022

Analysis Date: 10/31/2022

Sample Description:

D10 Vape Cartridge - Bubblegum OG

Unit Weight: 1g / Cartridge



Extraction Technician: LL Analytical Chemist: LL

Hernan Prieto

Laboratory Manager

# **CANNABINOID PROFILE**

									/				
Analyte	LOQ (mg/g)	Results mg/cartridge	%		Analyte	LOQ (mg/g)	Results mg/cartridge	%		Analyte	LOQ (mg/g)	Results mg/cartridge	%
CBDV-A	<0.06	0	0		THCV-A	<0.06	0	0	_	9S-HHC	<0.01	0	0
CBDV	<0.03	0	0		CBN	<0.03	0	0		СВС	<0.06	0	0
CBD-A	<0.03	0	0		D9-THC	<0.03	0	0		CBC-A	<0.03	0	0
CBG-A	<0.03	0	0/		D8-THC	<0.03	720.82	72.08		THC-A	<0.03	0	0
CBG	<0.02	0	0		9R-D10-TH	<0.02	100.78	10.08		D9-THCP	<0.01	0	0
CBD	<0.01	0	0		9S-D10-TH0	<0.02	0	0		D8-THCO	<0.02	0	0
THCV	<0.01	0	0		9R-HHC	<0.01	0	0					
		Max	Active 1	гнс	mg/cartridge	% 0	Total Ad Cannab	- 1		mg/cartridge 821,60	% 82.16		
		Max	Active (	СВО	mg/cartridge	% 0	Total Cannab	inoids		mg/cartridge 821.60	% 82.16		
1	T						/ V \ \	1 1 1 1					

## **NOTES**

Cannabidivarinic Acid(CBDVA) Cannabidivarin(CBDV) Cannabidiolic Acid(CBDA) Cannabigerolic Acid(CBCA) Cannabigerol(CBC3) Cannabigerol(CBC3) Cannabidiol(CBC3) 9S-Delta-10-Tetrahydrocannabinol(9S-D10-THC) 9R-Delta-10-Tetrahydrocannabinol(9R-D10-THC) 9S-Hexahydrocannabinol(9S-HC) 9S-Hex

Document ID: ATL-225 Revision: 02 Effective Date:7/15/2022

Reporting Limits will vary based on sample extraction weight used for the analysis. Accurate Test Lab, LLC utilizes based upon traceable Reference Standards and Certified Reference Material to calibrate analytical instruments along with proven analytical methods. The methods are applied in the most ethical manner following good laboratory practice guidelines. The results of this report are based solely on the sample submitted and cannot be reproduced. Results only apply to samples within COA as received Certificate of Analysis shall not be reproduce except in full without approval of Accurate Test Lab, LLC.







Bay Smokes LLC Customer: 62 NE 167th St #1009

Miami, Florida 33162

Batch #: 97073

Laboratory Number: ATL-9945

Report Issue Date: 11/01/2022

Order Date: 10/24/2022

Analysis Date: 10/31/2022

Sample Description:

D10 Vape Cartridge - Gelato

Unit Weight: 1g / Cartridge



Extraction Technician: LL Analytical Chemist: LL

Hernan Prieto

# **CANNABINOID PROFILE**

Analyte	LOQ (mg/g)	Results mg/cartridge	%		Analyte	LOQ (mg/g)	Results mg/cartridge	%		Analyte	LOQ (mg/g)	Results mg/cartridge	%
CBDV-A	<0.06	0	0		THCV-A	<0.06	0	0		9S-HHC	<0.01	0	0
CBDV	<0.03	0	0		CBN	<0.03	0	0		СВС	<0.06	0	0
CBD-A	<0.03	0	0		D9-THC	/ <b>&lt;</b> 0.03	0	0		CBC-A	<0.03	0	0
CBG-A	<0.03	0	0/	14	D8-THC	<0.03	731.19	73.12		THC-A	<0.03	0	0
CBG	<0.02	0	0		9R-D10-THC	<0.02	95.84	9.58		D9-THCP	<0.01	0	0
CBD	<0.01	0	0		9S-D10-THC	<0.02		0		D8-THCO	<0.02	0	0
THCV	<0.01	0	0		9R-HHC	<0.01	0	0					
		Max	Active 7	ГНС	mg/cartridge	% 0	Total Ac Cannabi			mg/cartridge 827.03	% 82.70		
		Max	Active	CBD	mg/cartridge	% 0	Total Cannab	noids	\	mg/cartridge 827.03	% 82.70		

## **NOTES**

Cannabidivarinic Acid(CBDVA) Cannabidivarin(CBDV) Cannabidiolic Acid(CBDA) Cannabigerolic Acid(CBCA) Cannabigerol(CBC) Cannabigerol(CBC) Cannabidiol(CBD)
Tetrahydrocannabivarin(THCV) Tetrahydrocannabivarinic Acid(THCVA) Cannabinol(CBN), Delta-9- Tetrahydrocannabinol(D9-THC) Delta-8- Tetrahydrocannabivarin(THCV) 9S-Delta-10-Tetrahydrocannabinol(9S-D10-THC) 9R-Delta-10-Tetrahydrocannabinol(9R-D10-THC) 9S-Hexahydrocannabinol(9S-HC) 9S-Hex

Document ID: ATL-225 Revision: 02 Effective Date:7/15/2022

Reporting Limits will vary based on sample extraction weight used for the analysis. Accurate Test Lab, LLC utilizes based upon traceable Reference Standards and Certified Reference Material to calibrate analytical instruments along with proven analytical methods. The methods are applied in the most ethical manner following good laboratory practice guidelines. The results of this report are based solely on the sample submitted and cannot be reproduced. Results only apply to samples within COA as received Certificate of Analysis shall not be reproduce except in full without approval of Accurate Test Lab, LLC.





Bay Smokes LLC Customer: 62 NE 167th St #1009

Miami, Florida 33162

Batch #: 97074

Laboratory Number: ATL-9946

Report Issue Date: 11/01/2022

Order Date: 10/24/2022

Analysis Date: 10/31/2022

Extraction Technician: LL

Analytical Chemist: LL

Hernan Prieto

Laboratory Manager

#### Sample Description:

D10 Vape Cartridge - Grape Zkittles

Unit Weight: 1g / Cartridge

# **CANNABINOID PROFILE**

				_ \			V V /			/ / /			
Analyte	LOQ (mg/g)	Results mg/cartridge	%		Analyte	LOQ (mg/g)	Results mg/cartridge	%		Analyte	LOQ (mg/g)	Results mg/cartridge	%
CBDV-A	<0.06	0	0		THCV-A	<0.06	0	0		95-ННС	<0.01	0	0
CBDV	<0.03	0	0		CBN	<0.03	0	0		СВС	<0.06	0	0
CBD-A	<0.03	0	0		D9-THC	<b>/</b> <0.03	0	0		CBC-A	<0.03	0	0
CBG-A	<0.03	0	0/		D8-THC	<0.03	726.38	72.64		THC-A	<0.03	0	0
CBG	<0.02	0	0		9R-D10-TH0	<0.02	95.83	9.58		D9-THCP	<0.01	0	0
CBD	<0.01	0	0		9S-D10-THC	<0.02	0	0		D8-THCO	<0.02	0	0
THCV	<0.01	0	0		9R-HHC	<0.01	0	0					
		Max A	Active ]	THC /	mg/cartridge	%	Total A	ctive	1	mg/cartridge	%		

/	Max Active THC	mg/cartridge	0	/	Total Active Cannabinoids	mg/cartridge 822,21	% 82.22
	Max Active CBD	mg/cartridge	% 0		Total Cannabinoids	mg/cartridge 822.21	% 82.22
				\/			

## **NOTES**

Cannabidivarinic Acid(CBDVA) Cannabidivarin(CBDV) Cannabidiolic Acid(CBDA) Cannabigerolic Acid(CBCA) Cannabigerol(CBC3) Cannabigerol(CBC3) Cannabidiol(CBC3) 9S-Delta-10-Tetrahydrocannabinol(9S-D10-THC) 9R-Delta-10-Tetrahydrocannabinol(9R-D10-THC) 9S-Hexahydrocannabinol(9S-HC) 9S-Hex

Document ID: ATL-225 Revision: 02 Effective Date:7/15/2022

Reporting Limits will vary based on sample extraction weight used for the analysis. Accurate Test Lab, LLC utilizes based upon traceable Reference Standards and Certified Reference Material to calibrate analytical instruments along with proven analytical methods. The methods are applied in the most ethical manner following good laboratory practice guidelines. The results of this report are based solely on the sample submitted and cannot be reproduced. Results only apply to samples within COA as received Certificate of Analysis shall not be reproduce except in full without approval of Accurate Test Lab, LLC.





Bay Smokes LLC Customer: 62 NE 167th St #1009

Miami, Florida 33162

Batch #: 97071

**Laboratory Number: ATL-9943** 

Report Issue Date: 11/01/2022

Order Date: 10/24/2022

Analysis Date: 10/28/2022

Sample Description:

D10 Vape Cartridge - Tangie Tits

Unit Weight: 1g / Cartridge



Extraction Technician: LL Analytical Chemist: LL

Hernan Prieto

# **CANNABINOID PROFILE**


Analyte	LOQ (mg/g)	Results mg/cartridge	%		Analyte	LOQ (mg/g)	Results mg/cartridge	%	Analyte	LOQ (mg/g)	Results mg/cartridge	%
CBDV-A	<0.06	0	0		THCV-A	<0.06	0	0	9S-HHC	<0.01	0	0
CBDV	<0.03	0	0		CBN	<0.03	0	0	СВС	<0.06	0	0
CBD-A	<0.03	0	0		D9-THC	<b>/</b> <0.03	0	0	CBC-A	<0.03	0	0
CBG-A	<0.03	0	0/		D8-THC	<0.03	725.38	72.54	THC-A	<0.03	0	0
CBG	<0.02	0	0		9R-D10-TH0	<0.02	97.20	9.72	D9-THCP	<0.01	0	0
CBD	<0.01	0	0		9S-D10-THC	<0.02		0	D8-THCO	<0.02	0	0
THCV	<0.01	0	0		9R-HHC	<0.01	0	0				
		Max	Active 1	ГНС	mg/cartridge	% 0	Total Ad Cannab	Y Y	mg/cartridge 822.58	% 82.26		
		Max	Active (	CBD	mg/cartridge 0	% 0	Total Cannab	inoids	mg/cartridge 822.58	% 82.26		

## **NOTES**

Cannabidivarinic Acid(CBDVA) Cannabidivarin(CBDV) Cannabidiolic Acid(CBDA) Cannabigerolic Acid(CBCA) Cannabigerol(CBC3) Cannabigerol(CBC3) Cannabidiol(CBC3) 9S-Delta-10-Tetrahydrocannabinol(9S-D10-THC) 9R-Delta-10-Tetrahydrocannabinol(9R-D10-THC) 9S-Hexahydrocannabinol(9S-HC) 9S-Hex

Document ID: ATL-225 Revision: 02 Effective Date:7/15/2022

Reporting Limits will vary based on sample extraction weight used for the analysis. Accurate Test Lab, LLC utilizes based upon traceable Reference Standards and Certified Reference Material to calibrate analytical instruments along with proven analytical methods. The methods are applied in the most ethical manner following good laboratory practice guidelines. The results of this report are based solely on the sample submitted and cannot be reproduced. Results only apply to samples within COA as received Certificate of Analysis shall not be reproduce except in full without approval of Accurate Test Lab, LLC.







Bay Smokes LLC Customer: 62 NE 167th St #1009

Miami, Florida 33162

Batch #: 97072

Laboratory Number: ATL-9944

Report Issue Date: 11/01/2022

Order Date: 10/24/2022

Analysis Date: 10/28/2022

Sample Description:

D10 Vape Cartridge - Trainwreck

Unit Weight: 1g / Cartridge



Extraction Technician: LL Analytical Chemist: LL

Hernan Prieto

Laboratory Manager

# **CANNABINOID PROFILE**

Analyte	LOQ (mg/g)	Results mg/cartridge	%		Analyte	LOQ (mg/g)	Results mg/cartridge	%		Analyte	LOQ (mg/g)	Results mg/cartridge	%
CBDV-A	<0.06	0	0		THCV-A	<0.06	0	0		9S-HHC	<0.01	0	0
CBDV	<0.03	0	0		CBN	<0.03	0	0		СВС	<0.06	0	0
CBD-A	<0.03	0	0		D9-THC	/ <b>&lt;</b> 0.03	0	0		CBC-A	<0.03	0	0
CBG-A	<0.03	0	0/	14	D8-THC	<0.03	726.62	72.66		THC-A	<0.03	0	0
CBG	<0.02	0	0		9R-D10-THC	<0.02	96.98	9.70		D9-THCP	<0.01	0	0
CBD	<0.01	0	0		9S-D10-THC	<0.02		0		D8-THCO	<0.02	0	0
THCV	<0.01	0	0		9R-HHC	<0.01	0	0					
		Max A	Active 7	ГНС	mg/cartridge	% 0	Total Ac Cannabi			mg/cartridge 823,60	% 82.36		
		Max /	Active	CBD	mg/cartridge	% 0	Total Cannab	inoids	\	mg/cartridge 823.60	% 82.36		

## **NOTES**

Cannabidivarinic Acid(CBDVA) Cannabidivarin(CBDV) Cannabidiolic Acid(CBDA) Cannabigerolic Acid(CBCA) Cannabigerol(CBC) Cannabigerol(CBC) Cannabidiol(CBD)
Tetrahydrocannabivarin(THCV) Tetrahydrocannabivarinic Acid(THCVA) Cannabinol(CBN), Delta-9- Tetrahydrocannabinol(D9-THC) Delta-8- Tetrahydrocannabivarin(THCV) 9S-Delta-10-Tetrahydrocannabinol(9S-D10-THC) 9R-Delta-10-Tetrahydrocannabinol(9R-D10-THC) 9S-Hexahydrocannabinol(9S-HC) 9S-Hex

Document ID: ATL-225 Revision: 02 Effective Date:7/15/2022

Reporting Limits will vary based on sample extraction weight used for the analysis. Accurate Test Lab, LLC utilizes based upon traceable Reference Standards and Certified Reference Material to calibrate analytical instruments along with proven analytical methods. The methods are applied in the most ethical manner following good laboratory practice guidelines. The results of this report are based solely on the sample submitted and cannot be reproduced. Results only apply to samples within COA as received Certificate of Analysis shall not be reproduce except in full without approval of Accurate Test Lab, LLC.

